

Model	Pressure		Capacity*		Motor Power	Connection Size	Dimensions		Weight		Air Receiver
	bar	psi	m³/min	cfm	kW/HP		[Length x Width x Height] (mm)		(kg)		
							Base Mounted	Tank + Dyer	Base Mounted	Tank + Dryerr	
HGS 2	7,5	110	0,3	10,6	2,2/3	G 1/2"	757 x 628x1057	1830 x 680 x 1557	165	320	250L
	8,5	125	0,28	9,9							
	10	145	0,22	7,6							
HGS 3	7,5	110	0,44	15,4	3/4	G 1/2"	757 x 628x1057	1830 x 680 x 1557	170	325	250L
	8,5	125	0,36	12,7							
	10	145	0,28	9,7							
HGS 4	7,5	110	0,54	19,2	4/5,5	G 1/2"	757 x628 x1057	1830 x 680 x 1557	170	325	250L
	8,5	125	0,5	17,7							
	10	145	0,37	12,9							
	13	190	0,29	10,2						350	
HGS 5,5	7,5	110	0,71	25,2	5,5/7,5	G 1/2"	785 x 715 x 1106	1880 x 715 x 1606	205	360	250L
	8,5	125	0,66	23,3							
	10	145	0,56	19,8							
	13	190	0,41	14,5						385	

HGS 7,5	8,5	125	1	35,3	7,5/10	G 3/4"	785 x 715 x 1106	1880 x 715 x 1606	230	405	250L
	10	145	0,87	30,9							
	13	190	0,64	22,6						420	
HGS 11	7,5	110	1,65	58,2	11/15	G 3/4"	962 x 732 x 1200	1880 x 732 x 1700	295	470	250L
	8,5	125	1,51	53,4							
	10	145	1,35	47,8							
	13	190	1,11	39,2						495	
HGS 15	7,5	110	2,26	79,9	15/20	G 3/4"	962 x 732 x 1200	1880 x 732 x 1700	315	490	250L
	8,5	125	2,18	77							
	10	145	2,05	72,4							
	13	190	1,48	53						515	
HSC 18,5	7,5	110	2,92	103	18,5/25	G 3/4"	1039 x 948 x 1462	2135 x 1200 x 2010	425	835	2X270L
	8,5	125	2,78	98,2							
	10	145	2,49	87,9							
	13	190	2,07	73,1							

HSC 22	7,5	110	3,45	122	22/30	G 3/4"	1039 x 948 x 1462	2135 x 1200 x 2010	465	900	2X270L
	8,5	125	3,09	112							
	10	145	3,03	107							
	13	190	2,53	89,3							
HSC 30	7,5	110	5,42	191	30/40	G 1 1/4"	1135 x 1035 x 1600	-	665	-	-
	8,5	125	5,11	183							
	10	145	4,73	167							
	13	190	3,91	138							
HSC 37	7,5	110	6,5	230	37/50	G 1 1/4"	1135 x 1035 x 1600	-	725	-	-
	8,5	125	6,17	218							
	10	145	5,37	189							
	13	190	4,41	156							

HSC 45	7,5	110	7,34	259	45/60	C 1 1/2"	1345 x 1150 x 1800	-	1030	-	-
	8,5	125	7,02	248							
	10	145	6,75	238							
	13	190	5,23	185							
HSC 55	7,5	110	9,66	341	55/75	C 1 1/2"	1345 x 1150 x 1800	-	1130	-	-
	8,5	125	9,2	325							
	10	145	8,46	299							
	13	190	6,8	240							
HSC 75	7,5	110	12,5	441	75/100	C 2"	1600 x 1191 x 1900	-	1565	-	-
	8,5	125	11,87	419							
	10	145	11,07	391							
	13	190	9,23	326							